



## 3.5 inch Dynamic QR Code Display - WiFi

### Model: BEI-DQR-111-WIFI

#### Step1: Display message:

"Bonrix Embedded Innovation"

**Device Name:** DQR-111

3.5 inch WiFi JPEG Image Display

**Item Code:** BEI-DQR-111-WIFI

**Command Type:** Send JPEG


**Display Type:** Image

**Pixel:** 320x480

**Version:** 1.0.0

**Chip ID:** "123325961407196"

embedded-innovations.com




#### Step2: Find Wifi Connection:

Connecting to Wifi.....

**SSID:** jioFiber-EASO

Attempt: .....





**BONRIX EMBEDDED  
INNOVATIONS**

### Step3:Hotspot Mode:

**IP:** 192.168.4.1

**SSID:** Bonrix


**MAC:** DC:DA:0C:A1:58:71

→ ScanQRtoOpenWifi  
Config Page



### Step4:Connect\*\*Bonrix\*\*Wifi:

→ConnectWith\*\*Bonrix\*\*Wifi





**BONRIX EMBEDDED  
INNOVATIONS**

### Step5:WifiConfigPage:

Select your Wifi Or Enter SSID And Password

For example:

**Wifi Name:-JioFiber-EASO**

**Password:- \*\*\*\*\***



### Step:6 Wifi Mode:

**IP:** 192.168.29.7

**SSID:** JioFiber-EASO

**MAC:** DC:DA:0C:A1:58:70

→Scan QR for Upload Image






**BONRIX EMBEDDED  
INNOVATIONS**

### **Step7: Open Web Page:**

→ click on Choose File and Upload the image from Your Gallery.

**Note:** JPG Image must be 320\*480px or 80KB



### **Step8: Select image:**

→Select image from your gallery and click the upload Button





**BONRIX EMBEDDED  
INNOVATIONS**

### **Step9: Reset Wifi:**

→ For Reset your Wifi Click the Reset Wifi Button.





# To Check Dynamic QR Code Scanner Display With Bonrix BHIM UPI Payment Collection By Free Desktop Software


**Instruction:** Connect your port (COM1, COM2, ....) with Baud Rate: 921600 using with your serial port terminal.

Follow this link for serial port test utility:

<http://www.embedded-innovations.com/Downloads/DesktopSoftware/QrDisplayFree.msi>

## Step1: Settings:

→ Go to setting and select set Display Option.




## Step2: Display Setting:

→ Now select 3.5inchWifiJPEGImage Display

And Enter Your Ip and save them.

**NOTE:** Start your ip With **http://IP/**




## Step 3: VPA Settings:

→ Click on setting button and select

VPA Settings.

→ Add your VPA Detail and save it.





**BONRIX EMBEDDED  
INNOVATIONS**

### Step 4: Welcome Screen:

→Click on Welcome Screen Button



### Step5: Display QR Code

→Enter Your Amount And click on Generate Qr



### Step6: Success:



### Step7: Cancel:



*Thank you*



## **ADDRESS**

### **BonrixEmbeddedInnovations**

A-701DevAurumCommercial, Nr.

Anand Nagar Cross Road,

Prahlad Nagar, Satellite,

Ahmedabad, Gujarat 380015

**ContactOn:+91-9409745500,+91-9429045500**

[info@embedded-innovations.com](mailto:info@embedded-innovations.com)

[embeddedinnovations.bonrix@gmail.com](mailto:embeddedinnovations.bonrix@gmail.com)



### **VisitUs On**

[WEBSITE:http://www.embedded-innovations.com/](http://www.embedded-innovations.com/)

[FACEBOOK:https://www.facebook.com/BonrixEmbeddedInnovations/](https://www.facebook.com/BonrixEmbeddedInnovations/)

[TWITTER:https://twitter.com/BonrixEmbedded](https://twitter.com/BonrixEmbedded)

[INSTAGRAM: https://www.instagram.com/BonrixEmbeddedInnovations/](https://www.instagram.com/BonrixEmbeddedInnovations/)

[LINKEDIN:https://www.linkedin.com/company/bonrix-embedded-innovations/](https://www.linkedin.com/company/bonrix-embedded-innovations/)

[YOUTUBE:https://www.youtube.com/@Bonrix-Embedded-Innovations](https://www.youtube.com/@Bonrix-Embedded-Innovations)